



WET®


E-mail: wet@wet.co.it
www.wet.co.it

INSTALLATION LTB

LTB HALOGEN

The security of this appliance is only guaranteed when installation is done following these instructions. It is therefore important to keep these instructions. Mounting has to be done by qualified electricians only & only certified trans-formers can be used, following also the established security-rules of your country.

For the precise positioning of the transformer > please check with your electrician, who needs to take the full responsibility for it.



Installation instructions

The security of this appliance is only guaranteed when installation is done following these instructions, and it is therefore important to keep these instructions. NEVER MOUNT THE TRANSFORMER (WET-TR/LTB/CR/6Vdc) UNDERNEATH THE BASIN, BUT MOUNT BEHIND THE MIRROR, AT APPROPRIATE HEIGHT (AT APPROPRIATE DISTANCE FROM ANY WATER-SUPPLY) AS INDICATED AND FOLLOWING THE ESTABLISHED SECURITY-RULES OF THE COUNTRY OF INSTALLATION. Mounting has to be done by qualified electricians only who have to take full responsibility for it.

The damaged appliance/cable cannot be replaced. In that case the light-appliance has to be destroyed

User-instructions

1. Your appliance has to be installed so that it can be switched on/off with a wall-switch. Everytime you switch off your appliance, it will re-take its default mode.
The default mode = the automatic color-cycle.
2. By touching the switches underneath the appliance you can regulate manually each color. Touching briefly will switch on/off the indicated color.
Touching longer will higher/lower the indicated color intension.



WET®

E-mail: wet@wet.co.it
www.wet.co.it

INSTALLATION LTB CROMOS

Make sure installation is done by a qualified electrician


Make sure the electricity wiring that comes from the floor has a minimum fixture / attachment of 60 Newton (= +/- 6 Kg)

Make sure the electricity wiring that comes from the floor has a minimum watertightness protection of IPX5

Fix the illumination-sets in the OUTER (smallest 40mm) holes, and fix properly.

Lead the electricity wiring towards the IPX5-box through cableclamb (A) and fix properly so that a fixture / attachment of 60 Newton is achieved.

Lead the electricity wiring into the IPX5-box through the cableclamb (B) and fix the cableclamb properly so that a IPX5 watertightness protection is achieved.



If your appliance does not work, check the polarity of the 6Vdc entrance.

For CR-Multichrome only

Insert from above the *on/off switch cq. When needed fix with PUR-glue in order to obtain a watertight fixture / attachment between bathtub and switch. Lead the wiring into the IPX5-box through cableclamb (C) and fix the cableclamb properly so that a IPX5 watertightness protection is achieved.

At completion of all steps, fix the basin to the wall so that no accidental movement is possible, using the included fixture set*. It is sufficient to put LTB *over the 2 bolts. NO further fixture is needed.

SPECIFIC - CR-Multichrome

you will find 3 pre-programmed color-cycles that will seguently turn on when you touch the black button (warm/cold&mixed cycle) The black button will also turn on/off the system. When you touch the colored buttons, you can mix your own color. A maximum of 2 full colors is possible, when overheat, the system will automatically turn off.

For automatic mode, just restart the system.

--- for any further information or instructions please visit www.wet.co.it ---

POWERSUPPLY

PRI - 230/240V@50/60Hz / SEC - max 11,5V - max 60W /(0.75/2.5mmq 6mm Ø- IPX5 - 60N) IP66 sides / IP44 bottom

POLYETHYLENE (PE)

LIGHT is made of PolyEthylene (PE). PE is totally different than PMMA, and has completly different characteristics. It is therefor absolutely necessary to read and follow these instructions :

PE has a hardness of "D/41-50 shore"

which is absolutely less than most other plastics, including PMMA, and it is for this reason that LIGHT is finished with a superficial texture. This texture will help to avoid scratches. LIGHT has been checked on its perfect conditions before leaving our establishment. LIGHT is packed in export-quality packaging. We did everything to make a perfect product, with a perfect protection. After installation, and during normal use, LIGHT does not scratch, but due to the low hardness coeficient of PE, LIGHT can however not be garantied against (minor) scratches, nor when appear during use, nor those present at purchase.

PE is a soft material

PE will always be slightly deformable, and when you enter a LIGHT tub, the bottom will slightly deform. This is normal, and will even be more present with hot water then with cold water. In fact, LTT is NOT a 'standing-up shower-bathtub, but a 'lying-down/relax bathtub.

NEVER put in contact mentioned products PE

Dichloromethane, hydrocarbons fluorine, perchloroethylene, trichloroethylene, acetone, gasoline, benzol, ethylene, ozone, toluol. For normal cleaning please use normal water, even without soap. After cleaning one can dry with a soft towel. NEVER use rough cloth or else in order to avoid scratching.

PE is 100% recycable and can be put with the empty bottles after its lifecycle. In some countries it does have to be presented in smaller pieces.

The maximum temperature of PE is 40 à 45°C

It is severely forbidden to put water inside with higher temperatures. A comfortable bathing temperature is between 38° till 42°C. Higher temperatures can cause serious burning-injuries, and the maximum temperatures are therefor absolutely sufficient to bath in comfort.

DO NOT fill LIGHT first with boiling water in order to afterwards 'add cold water > but fill with ready mixed water. Temperatures higher than 60°C can destruct PE and LIGHT is NOT garantied against deformation due to too high temperatures.




WET[®]

E-mail: wet@wet.co.it
www.wet.co.it

PRE-INSTALLATION LTB

follow the established safety rules of the country of installation



WET is a registered trademark in name and crown for more information please visit www.wet.co.it All designs by Jan Puylaert /unauthorized reproduction will be punished before the European law.